

**W. R. GRACE**  
**MATERIAL SAFETY DATA SHEET**

Product Name: FlameSafe® FS 900 Series Firestop Compound  
MSDS ID Number: Z-01643

MSDS Date: 06/21/2005

**SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

**Product Name:** FlameSafe® FS 900 Series Firestop Compound  
**MSDS Number:** Z-01643  
**Cancelled MSDS Number:** Z-01551  
**MSDS Date:** 06/21/2005  
**Chemical Family Name:** Polyvinyl Acetate & Acrylic Latex Based Emulsion  
**Product Use:** Acrylic, Endothermic Firestop  
**Chemical Formula:** Mixture-NA  
**CAS # (Chemical Abstracts Service Number):** Mixture-NA  
**Manufactured by:**

W.R.Grace & Co.-Conn.  
62 Whittemore Avenue  
Cambridge, MA 02140

Grace Canada, Inc.  
294 Clements Road West  
Ajax, Ontario L1S 3C6

**In Case of Emergency Call:**

In USA: (617) 876-1400 In Canada: (905) 683-8561

**SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS**

<b>Ingredient</b>	<b>CAS#</b>	<b>Percent (max)</b>
2-Propenoic acid, polymer...	052640-81-0	10-25
Aluminum oxide	001344-28-1	10-25
Ashes, residues	068131-74-8	10-25
Methenamine	000100-97-0	< 1
Phenol-formaldehyde polymer	009003-35-4	1-10
Titanium dioxide	013463-67-7	1-10
Zinc borate	001332-07-6	1-10

## W. R. GRACE

### MATERIAL SAFETY DATA SHEET

Product Name: FlameSafe® FS 900 Series Firestop Compound

MSDS ID Number: Z-01643

MSDS Date: 06/21/2005

---

### SECTION 3 - HAZARDS IDENTIFICATION

#### Emergency Overview:

##### **Warning!**

- Causes severe eye irritation.
- Causes skin irritation.
- Causes respiratory tract irritation.
- May be harmful if ingested.
- Causes digestive tract irritation if ingested.
- Harmful if absorbed through skin.
- May cause liver and kidney damage.

#### HMIS Rating:

- |                                |                   |
|--------------------------------|-------------------|
| Health:                        | 2*                |
| Flammability:                  | 0                 |
| Reactivity:                    | 0                 |
| Personal Protective Equipment: | B (See Section 8) |

#### Potential Health Effects:

##### **Inhalation:**

- Causes respiratory tract irritation.
- Prolonged inhalation may cause sensitization.
- Effects include: Nausea, sneezing, coughing, tightness of chest, hypersensitive individuals may experience allergic respiratory reaction and wheezing.

##### **Eye Contact:**

- Eye contact can cause severe irritation.
- Prolonged eye contact can result in tissue damage.

##### **Skin Contact:**

- Skin contact causes irritation.
- Prolonged skin contact can result in burns.
- May cause sensitization.
- Hypersensitive individuals may develop an allergic reaction resulting in dermatitis, rash or hives.

##### **Skin Absorption:**

- Harmful if absorbed through the skin.

##### **Ingestion:**

- Harmful if ingested.
- If ingested, causes irritation to the linings of the mouth, esophagus and stomach.
- Effects include: No other effects expected unless listed below.
- Reproductive and developmental effects have been reported for certain ingredients.
- Long-term repeated ingestion of small amounts of product may cause a decrease in red blood cells or liver and kidney damage. Phenol-formaldehyde polymer has tested positive as a mutagen.

---

### SECTION 4 - FIRST AID MEASURES:

#### **Skin Contact:**

- Wash with soap and water.

**W. R. GRACE**  
**MATERIAL SAFETY DATA SHEET**

Product Name: FlameSafe® FS 900 Series Firestop Compound

MSDS ID Number: Z-01643

MSDS Date: 06/21/2005

Call a physician.

Remove contaminated clothing and wash before reuse.

**Eye Contact:**

Flush eyes with water for at least 15 minutes while holding eyelids open.

Get immediate medical attention.

**Ingestion:**

Do not induce vomiting.

Never give anything by mouth to an unconscious person.

If discomfort or irritation persists, consult a physician.

**Inhalation:**

If symptoms develop, get fresh air. If symptoms persist, consult a physician.

If breathing has stopped, give artificial respiration then oxygen if needed.

---

**SECTION 5 - FIRE AND EXPLOSION HAZARD DATA**

**Flash Point:** >212°F/100°C

**Flash Point Method:** Estimated

**Lower Explosion Limit:** Not Available

**Upper Explosion Limit:** Not Available

**Auto-Ignition Temperature:** Not Available

**NEPA Rating:**

**Health:** 1

**Flammability:** 0

**Reactivity:** 0

**Extinguishing Media:** Product will not support combustion. Use alcohol foam, Carbon dioxide, dry chemical or water to treat surrounding fire.

**Special Fire Fighting Procedures:**

Wear self-contained breathing apparatus and complete personal protective equipment when potential for exposure to vapors or products of combustion exist. Isolate area and keep unnecessary people away.

**Unusual Fire and Explosion Hazards:**

During fire, oxides of nitrogen may be evolved

# W. R. GRACE

## MATERIAL SAFETY DATA SHEET

Product Name: FlameSafe® FS 900 Series Firestop Compound

MSDS ID Number: Z-01643

MSDS Date: 06/21/2005

### SECTION 6 - ACCIDENTAL RELEASE MEASURES:

#### **Spills/Leaks:**

Use proper personal protective equipment. Do not flush to sewer or allow to enter waterways. Keep unnecessary people away.

### SECTION 7 - HANDLING AND STORAGE

#### **Precautionary Measures:**

Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

### SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTIVE EQUIPMENT

#### EXPOSURE GUIDELINES (US)

Ingredient	ACGIH TLV			OSHA PEL			Other
	TWA	STEL	Ceiling	TWA	STEL	Ceiling	
2-Propenoic acid, polymer...	-	-	-	-	-	-	-
Aluminum oxide	10 mg/m3 TWA (as Al) (The value is for total dust containing no asbestos and <	-	-	total dust: 10 mg/m3 TWA; respirable fraction: 5 mg/m3 TWA	-	-	-
Ashes, residues	-	-	-	-	-	-	-
Phenol-formaldehyde polymer	-	-	-	-	-	-	-
Titanium dioxide	10 mg/m3 TWA	-	-	total dust: 10 mg/m3 TWA	-	-	-
Zinc borate	-	-	-	-	-	-	-

\*Contains formaldehyde below 0.1% threshold. Product is capable of releasing formaldehyde under certain conditions. Exposure during typical application is expected to be insignificant. Exposure to formaldehyde vapor is a potential concern if product is applied under confined space conditions. Consult appropriate exposure guidelines for formaldehyde. (OSHA: 0.75 ppm-TWA, 2.0 ppm - STEL, ACGIH 0.3 ppm Ceiling)

## W. R. GRACE

### MATERIAL SAFETY DATA SHEET

Product Name: FlameSafe® FS 900 Series Firestop Compound

MSDS ID Number: Z-01643

MSDS Date: 06/21/2005

#### EXPOSURE GUIDELINES (CANADA)

Employers should consult local Provincial regulatory limits for exposure guidelines which may vary locally.

**Engineering Controls:** Not generally required.

#### **Personal Protective Equipment:**

**Respiratory Protection:** Respiratory protection is not normally required. Wear NIOSH approved dust mask if necessary to prevent exposures above the limits specified above. A NIOSH approved respirator for Formaldehyde vapor is required whenever exposures exceed regulatory limits. For additional information, refer to US OSHA Regulations 29 CFR 1910.§ 134.

**Skin Protection:** Impervious (PVC, latex or nitrile) gloves should be worn anytime direct contact is possible.

**Eye Protection:** Safety glasses or goggles should be worn.

**Work/Hygienic Practices:** Use good personal hygiene practices.

This product contains compounds subject to exposure guidelines and/or identified as carcinogens. (See Sections 8 and 11). However, due to the physical nature of this product, these compounds are unlikely to reach exposure limits unless airborne dust or spray mist is created.

#### **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State:</b>	Liquid
<b>Appearance/Odor:</b>	Red mastic. Mild latex odor.
<b>Odor Threshold: (ppm)</b>	Not Determined
<b>pH:</b>	Not Available
<b>Vapor Pressure: (Mm Hg)</b>	Unknown
<b>Vapor Density: (Air = 1)</b>	Greater than 1
<b>Solubility In Water:</b>	Appreciable
<b>Specific Gravity: (Water = 1)</b>	Not Available
<b>Evaporation Rate: (Butyl Acetate = 1)</b>	1
<b>Boiling Point:</b>	>212°F/100°C
<b>Viscosity:</b>	Unknown
<b>Bulk Density: (Pounds/Cubic Foot)(Pcf)</b>	Not Applicable
<b>% Volatiles: (70°F) (21°C)</b>	26%

# W. R. GRACE

## MATERIAL SAFETY DATA SHEET

Product Name: FlameSafe® FS 900 Series Firestop Compound

MSDS ID Number: Z-01643

MSDS Date: 06/21/2005

### SECTION 10 - STABILITY AND REACTIVITY

**Chemical Stability:** Stable  
**Conditions To Avoid:** None known for this product.  
**Hazardous Polymerization:** Will not polymerize.  
**Hazardous Decomposition Products:** Carbon dioxide, Carbon monoxide and Low molecular weight hydrocarbons.

### SECTION 11 - TOXICOLOGICAL INFORMATION

**Ingredient(No data unless listed.)**      **CAS Number**      **LD50 and LC50**

#### **Carcinogenicity:**

Ingredient	IARC Group 1	IARC Group 2A	IARC Group 2B	NTP Known	NTP Suspect	OSHA
2-Propenoic acid, polymer...	No	No	No	No	No	No
Aluminum oxide	No	No	No	No	No	No
Ashes, residues	No	No	No	No	No	No
Phenol-formaldehyde polymer	No	No	No	No	No	No
Titanium dioxide	No	No	No	No	No	No
Zinc borate	No	No	No	No	No	No

\*Contains formaldehyde below 0.1% threshold. Product is capable of releasing formaldehyde under certain conditions. Exposures during typical applications are expected to be insignificant. Exposure to formaldehyde vapor is a potential concern if product is applied under confined space conditions. NTP: Suspect Carcinogen. IARC: Group 2A. OSHA: Potential.

**Mutagenicity:** Phenol-formaldehyde polymer in this product has tested positive as a mutagen.  
**Teratogenicity:** Not applicable.  
**Reproductive Toxicity:** Borates have caused reproductive and developmental effects in animal studies.

### SECTION 12 - ECOLOGICAL INFORMATION

**Environmental Fate:** No data available for product.  
**Ecotoxicity:** No data available for product.

### SECTION 13 - DISPOSAL CONSIDERATIONS

#### **Waste Disposal Procedures:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing waste for disposal. According to EPA (40 CFR § 261), waste of this product is not defined as hazardous. Dispose of waste in accordance with all applicable regulations.

### SECTION 14 - TRANSPORTATION INFORMATION

**Proper Shipping Name:** Not Applicable  
**UN/NA Number:** Not Applicable  
**Domestic Hazard Class:** Nonhazardous  
**Surface Freight Classification:** Compound fireproofing or retardant, flame  
**Label/Placard Required:** Not Applicable

### SECTION 15 - REGULATORY INFORMATION

**W. R. GRACE**  
**MATERIAL SAFETY DATA SHEET**

Product Name: FlameSafe® FS 900 Series Firestop Compound  
MSDS ID Number: Z-01643

MSDS Date: 06/21/2005

---

**REGULATORY CHEMICAL LISTS:**

**CERCLA (Comprehensive Response Compensation and Liability Act):**  
**(None present unless listed below)**

<b><u>Chemical Name</u></b>	<b><u>CAS #</u></b>	<b><u>Wt %</u></b>	<b><u>CERCLA RQ</u></b>
Zinc borate	001332-07-6	4	final RQ = 1000 pounds (454 kg)

**SARA Title III (Superfund Amendments and Reauthorization Act)**

**SARA Section 312/Tier I & II Hazard Categories:**

Health Immediate (acute)	Yes
Health Delayed (chronic)	Yes
Flammable	No
Reactive	No
Pressure	No

**W. R. GRACE**  
**MATERIAL SAFETY DATA SHEET**

Product Name: FlameSafe® FS 900 Series Firestop Compound  
MSDS ID Number: Z-01643

MSDS Date: 06/21/2005

**302 Reportable Ingredients (Identification Threshold 1%):**

<u>Chemical Name</u>	<u>CAS #</u>	<u>Wt %</u>	<u>SARA 302 TPQ</u>
----------------------	--------------	-------------	-------------------------

**313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):**

<u>Chemical Name</u>	<u>CAS #</u>	<u>Wt %</u>
Acetaldehyde	000075-07-0	.0016935
Acrylamide	000079-06-1	.0010161
Acrylonitrile	000107-13-1	.0003387
Aluminum oxide	001344-28-1	15.8388
Ethyl acrylate	000140-88-5	.0027096
Formaldehyde	000050-00-0	.0211180747
Glycol ethers	RR-00067-9	.002
Vinyl acetate	000108-05-4	.00447
Zinc Compounds	RR-00578-7	4.0
Phenol	000108-95-2	.2988

**National Volatile Organic Compound Emission Standards For Architectural Coatings:**

**Volatile Organic Content:** (gr/L) Not Applicable

**WHMIS Classification(s):** D2 B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR). This MSDS contains all the information required by the CPR.

**State Regulatory Information:**

**California Proposition 65:** WARNING! This product contains substances known to the state of California to cause cancer, birth defects or other reproductive harm.

**Massachusetts Hazardous Substance List(Identification threshold 0.001%(1ppm)):**

<u>Chemical Name</u>	<u>CAS #</u>	<u>Wt %</u>
Acetaldehyde	000075-07-0	.0016935
Acrylamide	000079-06-1	.0010161
Acrylonitrile	000107-13-1	.0003387
Ethyl acrylate	000140-88-5	.0027096
Formaldehyde	000050-00-0	.0211180747
Vinyl acetate	000108-05-4	.00447
Phenol	000108-95-2	.2988



**W. R. GRACE**  
**MATERIAL SAFETY DATA SHEET**

Product Name: FlameSafe® FS 900 Series Firestop Compound  
MSDS ID Number: Z-01643

MSDS Date: 06/21/2005

**New Jersey Hazardous Substance List(Identification threshold (0.1%)):**

<u>Chemical Name</u>	<u>CAS #</u>	<u>Wt %</u>
Aluminum oxide	001344-28-1	15.8388
Phenol	000108-95-2	.2988
Zinc Compounds	RR-00578-7	4

**Pennsylvania Hazardous Substance List(Identification threshold 0.01%):**

<u>Chemical Name</u>	<u>CAS #</u>	<u>Wt %</u>
Formaldehyde	000050-00-0	.0211180747

**CHEMICAL INVENTORY STATUS:**

All chemicals in this product are listed or exempt from listing in the following countries:

US	CANADA		EUROPE	AUSTRALIA	JAPAN	KOREA	PHILIPPINES
TSCA	DSL	NDSL	EINECS/ELINCS	AICS	ENCS	ECL	PICCS
Yes	No	Yes	Not Determined	Not Determined	Not Determined	Not Determined	Not Determined

**SECTION 16 - OTHER INFORMATION**

**Non-Hazardous Ingredient Disclosure:**

<u>Chemical Name</u>	<u>CAS Number</u>
Water	007732-18-5

**Prepared by:** EH&S Department  
**Approved by:** EH&S Department  
**Approved Date:** 06/21/2005

**Disclaimer:**

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."